



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
				Cerebro-spinal meningitis.	Cholera.	Diphtheria.	Plague.	Pollomyelitis.	Scarlet fever.	Smallpox.	Tuberculosis.	Typhoid fever.	Typhus fever.	Yellow fever.
Montreal	Oct. 19	466,197	149						1		12	1		
Do	Oct. 26		157	1		2			2		19	1		
Moscow	Sept. 14	1,625,487	735			4			10	1	72	2		
Do	Sept. 21		710			16			15		77		8	
Munich	Sept. 14	615,000	156			1					32			
Nagoya	Sept. 21	346,683	116									1		
Newcastle-on-Tyne	Oct. 5	269,193	76			1					6			
Do	Oct. 12		77								9			
Newcastle, N. B.	Oct. 19	2,945							1					
Nottingham	Oct. 12	262,563	81						1			9		
Odesa	Sept. 23	600,000	168			4			1		16	5		
Ottawa	Oct. 19	90,000	30								2	2		
Penang	Aug. 31	102,167	73			1					18	1		
Do	Sept. 7		56								8	1		
Do	Sept. 14		63								11	1		
Do	Sept. 21										14	1		
Port Elizabeth	Aug. 24	31,692	14			1					3			
Port of Spain	Sept. 23	60,000	43								5	5		
Do	Oct. 5		28								9			
Port Said	Sept. 16	53,713	33						1		1	1		
Prescott, Canada	Oct. 29	3,019				1								
Quebec	Oct. 19	78,200				1								
Rangoon	Sept. 14	293,316	223		1		29		20	1	14			
Rio de Janeiro	Sept. 21	946,134	382			4					88			
Do	Sept. 28		398			1					85			
Do	Oct. 5		351			3					71			
Rotterdam	Sept. 23	443,290	89						1					
Do	Oct. 5		97			1								
St. Johns	do.	33,000				3								
Do	Oct. 26					1								
San Luis Potosi	July 20	82,946	58						1		3	1		
Do	July 27		68								3	1		
Do	Aug. 3		65								2	1		
Santa Cruz de Tenerife	Oct. 5	46,000	21			1						1	1	
Santiago de Cuba	do.	58,000	21								3	1		
Do	Oct. 12		24			2					2	1		
Sault Ste. Marie	Oct. 5	12,500	3								1	1		
Shanghai	Sept. 22	500,000	220						1		22			
Do	Sept. 29		172			2			1		17			
Do	Oct. 6		149			1					21			
Shefield	Sept. 21	455,000	95					1	1		16			
Do	Sept. 28		109								10			
Do	Oct. 5		124			1					9	1		
Do	Oct. 12		107			2			2		20			
Stettin	Oct. 5	240,000	74						1		6			
Stockholm	do.	346,599	99						3		17	1		2
Stoke-on-Trent	Oct. 12	237,153	71			2					7	2		
Swansea	do.	117,151	26			1					5			
Do	Oct. 19		39								6			
Trieste	Sept. 23	235,999	80											
Do	Oct. 5	230,549	81						1					
Tripoli in Barbary	Sept. 22	50,000	93								4			
Do	Oct. 6													

MORTALITY FOREIGN AND INSULAR COUNTRIES AND CITIES
(Untabulated).

ALGERIA—Oran.—Month of September, 1912. Population, 123,086. Total number of deaths from all causes 207, including diphtheria 1, measles 1, smallpox 1, tuberculosis 16, typhoid fever 8.

CHILE—Punta Arenas.—Month of August, 1912. Population, 14,000. Total number of deaths from all causes 49, including tuberculosis 4.

GREAT BRITAIN.—Week ended September 28, 1912.

England and Wales.—The deaths registered in 95 great towns correspond to an annual rate of 11.9 per 1,000 of the population which is estimated at 17,639,881.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 14.5 per 1,000 of the population which is estimated at 1,154,150. The lowest rate was recorded at Londonderry, viz, 3.8, and the highest at Newtownards, viz, 21.8 per 1,000.

Scotland.—The deaths registered in 18 principal towns correspond to an annual rate of 13 per 1,000 of the population which is estimated at 2,182,400. The lowest rate was recorded at Hamilton, viz, 5.3, and the highest at Coatbridge, viz, 17.7 per 1,000. The total number of deaths from all causes was 544, including diphtheria 7, measles 1, scarlet fever 5, typhoid fever 1.

PORTUGUESE EAST AFRICA—*Lourenço Marquez.*—Month of August, 1912. Population, 10,000. Total number of deaths from all causes 49, including measles 1.

RUSSIA—*Riga.*—Month of July, 1912. Population, 385,000. Total number of deaths from all causes 842, including diphtheria 5, measles 4, scarlet fever 5, smallpox 1, typhoid fever 5, typhus fever 1.

SIAM—*Bangkok.*—Four weeks ended September 14, 1912. Population, 600,000. Total number of deaths from all causes not reported. The deaths include cholera 9, smallpox 3.

SOUTH AFRICA—*Johannesburg.*—Three weeks ended August 31, 1912. Population, 237,220. Total number of deaths from all causes 171, including diphtheria 2, measles 7, tuberculosis 14, typhoid fever 4.

Two weeks ended September 14, 1912. Total number of deaths from all causes 192, including diphtheria 1, measles 8, tuberculosis 20, typhoid fever 3.

TURKS ISLANDS.—Three weeks ended October 12, 1912. Population, 1,675. One death from tuberculosis.

By authority of the Secretary of the Treasury.

RUPERT BLUE,
Surgeon General,
United States Public Health Service.

ADDITIONAL COPIES of this publication
may be procured from the SUPERINTEND-
ENT OF DOCUMENTS, Government Printing
Office, Washington, D. C., at 5 cents per copy
Subscription price, per volume..... \$2

